#### MATERIAL SAFETY DATA SHEET

GUAVA FRAGRANCE 285659 Page 1(5)

Date: 22 March 2011

MSDS Revision: 04 Date created: 12/03/06

 ${\tt 1.Identification\ of\ the\ substance/preparation\ and\ company}$ 

-----

Product name : GUAVA FRAGRANCE 285659
Company name : ANCIENT WISDOM MARKETING LTD
Company address : BLOCK B, PARKWOOD BUSINESS PARK

75 PARKWOOD ROAD

SHEFFIELD

SOUTH YORKSHIRE, UK.

S3 8AL

Emergency phone : +44 (0)114 2729165 Fax : +44 (0)114 2706571

2. Hazards identification -----

General : When undiluted and not properly handled, can be irritating

to the skin and eyes and upon excessive inhalation.

Combustible material that can sustain fire.

Hazard symbol : Xi, Irritant.

: N, Dangerous for the environment.

Risk phrases : R43, May cause sensitisation by skin contact.

: R51/53, Toxic to aquatic organisms, may cause long-term

adverse effects in the aquatic environment.

Environment : When spilled, can contaminate soil, ground and surface

water.

#### MATERIAL SAFETY DATA SHEET

GUAVA FRAGRANCE 285659 Page 2(5)

Date: 22 March 2011

MSDS Revision: 04 Date created: 12/03/06

3.Composition/information on ingredients -----

Chemical : Composition: multicomponent mixture of natural and/or

identification synthetic raw materials.

CAS number EINECS number : Not applicable, product is a mixture. : Not applicable, product is a mixture.

Contains	CAS/EINECS	Hazard Symbols	Conc%
2-t-BUTYLCYCLOHEXYL ACETATE	88-41-5 /201-828-7	N; R 51/53	0.5
(L) BUTYLPHENYL METHYLPROPIONAL	80-54-6 /201-289-8	Xn-N; R 22-38-43-51/53-62	1.0
ETHYL-METHYLPHENYLGLYCIDATE	77-83-8 /201-061-8	-; R 52/53	8.0
ETHYLTRICYCLO (5,2,10,2,2) DECANE-2-CARB OXYLATE	80623-07-0 /407-520-0	Xi-N; R 38-51/53	1.5
GAMMA-UNDECALACTONE	104-67-6 /203-225-4	N; R 51/53	4.0
HEXAMETHYLINDANOPYRAN	1222-05-5 /214-946-9	N; R 50/53	3.3
HEXYL ACETATE	142-92-7 /205-572-7	N; R 51/53	1.0

Ingredients with an Occupational Exposure Limit DIETHYL PHTHALATE CAS:84-66-2 EINECS:201-550-6 (>10%)

Total allergen content: BUTYLPHENYL METHYLPROPIONAL (1.0000%)

#### 4.First-aid measures -----

Inhalation : Upon excessive inhalation, remove from exposure site to

fresh air, keep at rest, and obtain medical attention.

: Flush immediately with water for at least 15 minutes. Eye exposure

Contact physician if symptoms persist.

: Remove contaminated clothes. Wash thoroughly with soap and water. Contact physician if irritation persists. Skin exposure

Ingestion : Rinse mouth with water and obtain medical attention.

Others : Take Risk and Safety phrases (section 15) into

consideration.

5.Fire-fighting measures Extinguishing : Carbon dioxide, dry chemical, foam.

Do not use a direct water-jet on burning material.

#### MATERIAL SAFETY DATA SHEET

GUAVA FRAGRANCE 285659 Page 3(5)

Date: 22 March 2011
MSDS Revision: 04
Date created: 12/03/06

6.Accidental release measures -----

Personal : Avoid excessive inhalation and contact with skin and eyes.

precautions A self-contained breathing apparatus is recommended in

case of a major spill.

Spillage : Remove ignition sources. Provide adequate ventilation.

Avoid excessive inhalation of vapours. Gross spillage should be contained immediately by use of sand or inert powder and disposed of according to local regulations.

Environmental : Keep away from drains, surface and ground water, and soil.

precautions

7. Handling and storage -----

Handling : Apply according to good manufacturing and industrial

hygiene practices with proper ventilation. Do not drink,

eat or smoke while handling. Respect good personal

hygiene.

Storage : Store in a cool, dry and ventilated area away from heat

sources and protected from light in tightly closed original containers. Avoid uncoated metal containers.

Keep air contact to a minimum.

Fire : Keep away from ignition sources and naked flame.

protection

8.Exposure controls/personal protection -----

Respiratory : Avoid excessive inhalation of concentrated vapours.

protection

Eye protection : Wear safety glasses.

Skin protection : Avoid skin contact. Use chemically resistant gloves as

needed.

9. Physical and chemical properties -----

Appearance : Clear colourless to pale yellow liquid

Flash point : 84 degC (CC)

10.Stability and reactivity -----

Reactivity : Presents no significant reactivity hazard, by itself or in

contact with water. Avoid contact with strong acids,

alkali or oxidising agents.

Decomposition : Carbon monoxide and unidentified organic compounds may be

formed during combustion.

### MATERIAL SAFETY DATA SHEET

GUAVA FRAGRANCE 285659 Page 4(5)

Date: 22 March 2011

MSDS Revision: 04 Date created: 12/03/06

11. Toxicological information -----

Based on the ingredients in this composition and their concentrations, this product is according to the conventional method of EEC directive 88/379/EEC classified as:

May cause sensitisation by skin contact.

12. Ecological information -----

General : This material is unlikely to accumulate in the environment

and environmental problems under normal use conditions are

unexpected.

13.Disposal considerations -----

Dispose of according to local regulations. Avoid disposing into

drainage systems and into the environment.

#### 14. Transport information

-----

Class Pack Group Sub risk UN no IMDG page

 Road (ADR/CDGRR)
 : 9
 III
 UN3082

 Air (IATA)
 : 9
 III
 UN3082

 Sea (IMDG)
 : 9
 III
 UN3082

Proper Shipping Name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(CONTAINS HEXAMETHYLINDANOPYRAN AND GAMMA-

UNDECALACTONE)

15.Regulatory information -----

Classification Packaging / Labelling (Directive 1999/45/EC)

Hazard symbol : Xi, Irritant.

: N, Dangerous for the environment.

Contains BUTYLPHENYL METHYLPROPIONAL.

Risk phrases : R43, May cause sensitisation by skin contact.

: R51/53, Toxic to aquatic organisms, may cause long-term

adverse effects in the aquatic environment.

Safety phrases : S24, Avoid contact with the skin.

: S37, Wear suitable gloves.

: S61, Avoid release to the environment. Refer to special

instructions/safety data sheet.

### MATERIAL SAFETY DATA SHEET

GUAVA FRAGRANCE 285659 Page 5(5)

Date: 22 March 2011 MSDS Revision: 04 Date created: 12/03/06

16.Other information -----

Conc % Limits (\*) : XiR43=100.00% NR51/53=61.73% R52/53=6.05% IFRACLS01=N/A

IFRACLS02=20.000% IFRACLS03.A=60.000% IFRACLS03.B=60.000%

IFRACLS03.C=60.000% IFRACLS03.D=60.000% IFRACLS04.A=100.000% IFRACLS04.B=100.000% IFRACLS04.C=100.000% IFRACLS04.D=100.000%

IFRACLS05=100.000% IFRACLS06=N/A IFRACLS07.A=30.000%

IFRACLS07.B=30.000% IFRACLS08.A=100.000% IFRACLS08.B=100.000% IFRACLS09.A=100.000% IFRACLS09.C=100.000% IFRACLS10.A=100.000% IFRACLS10.B=100.000% IFRACLS11.A=100.000% IFRACLS11.B=100.000%

(\*) These are the maximum percent concentrations that this material can be used in a non-hazardous product without the indicated risk being applicable to that product.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.